

SECTION 1: Identification

1.1. Identification

Product form : Mixture
 Product name : DYNA-FOAM
 Product code : DYN

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Exterior Vehicle Shampoo

1.3. Supplier

Sky Blue Chemical
 760 W. Exchange Road
 Ogden, Utah 84401 - USA
 T (800) 998-2808
www.skybluechemical.com

1.4. Emergency telephone number

Emergency number : Chemtrec 1-800-424-9300

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Skin Corr. 1 Causes severe skin burns and eye damage
 Skin Sens. 1 May cause an allergic skin reaction
 Aquatic Acute 3 Harmful to aquatic life
 Aquatic Chronic 3 Harmful to aquatic life with long lasting effects

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) :

Danger

Hazard statements (GHS US) :

Causes severe skin burns and eye damage
 May cause an allergic skin reaction
 Harmful to aquatic life
 Harmful to aquatic life with long lasting effects

Precautionary statements (GHS US) :

Do not breathe dust/fume/gas/mist/vapors/spray.
 Avoid breathing dust/fume/gas/mist/vapors/spray.
 Wash hands, forearms and face thoroughly after handling.
 Contaminated work clothing must not be allowed out of the workplace.
 Avoid release to the environment.
 Wear protective gloves/protective clothing/eye protection/face protection.
 If swallowed: rinse mouth. Do NOT induce vomiting.
 If on skin: Wash with plenty of water.
 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 If inhaled: Remove person to fresh air and keep comfortable for breathing.
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 Immediately call a poison center or doctor.
 Specific treatment (see supplemental first aid instruction on this label).
 If skin irritation or rash occurs: Get medical advice/attention.
 Wash contaminated clothing before reuse.
 Store locked up.
 Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

DYNA-FOAM

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | GHS US classification |
|---------------------------------------|-----------------------|---------|---|
| Dodecyl benzene sulfonic acid | (CAS-No.) 27176-87-0 | 5 – 10 | Acute Tox. 4 (Oral), H302 Skin Corr. 1, H314 Aquatic Acute 2, H401 |
| Nonylphenol polyethylene glycol ether | (CAS-No.) 127087-87-0 | 1 – 3 | Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Acute 3, H402 Aquatic Chronic 3, H412 |
| d-Limonene | (CAS-No.) 5989-27-5 | 0.1 – 1 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a physician immediately.
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
- First-aid measures after skin contact : Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a physician immediately.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Call a physician immediately.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects (acute and delayed)

- Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.
- Symptoms/effects after inhalation : May cause an allergic skin reaction.
- Symptoms/effects after skin contact : Causes skin irritation. Burns. May cause an allergic skin reaction.
- Symptoms/effects after eye contact : Causes serious eye irritation. Serious damage to eyes.
- Symptoms/effects after ingestion : Burns.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

- Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.

DYNA-FOAM

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel. Only qualified personnel equipped with suitable protective equipment may intervene. Do not breathe dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. See Section 12 for additional Ecological information. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapors/spray.

Hygiene measures : Wash hands and other exposed skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources. Keep container closed when not in use. Store locked up. Store in a well-ventilated place. Keep cool.

Incompatible products : Strong bases.

Incompatible materials : Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DYNA-FOAM

No additional information available

Dodecyl benzene sulfonic acid (27176-87-0)

No additional information available

Nonylphenol polyethylene glycol ether (127087-87-0)

No additional information available

DYNA-FOAM

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

d-Limonene (5989-27-5)

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses. Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear appropriate mask. Wear respiratory protection.

Personal protective equipment symbol(s):



Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|---------------------|
| Physical state | : Liquid |
| Color | : Orange |
| Odor | : Citrus |
| Odor threshold | : No data available |
| pH | : 4 |
| pH solution | : 1 % |
| Melting point | : Not applicable |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : > 212 °F |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Flammability (solid, gas) | : Non flammable. |
| Vapor pressure | : No data available |
| Relative vapor density at 20 °C | : No data available |
| Relative density | : 1.01 |
| Density | : 8.43 lb/gal |
| Solubility | : Soluble in water. |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |

DYNA-FOAM

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | |
|----------------------|---------------------|
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosion limits | : No data available |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |

9.2. Other information

| | |
|-------------|---------|
| VOC content | : 0.4 % |
|-------------|---------|

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| | |
|-----------------------------|------------------|
| Acute toxicity (oral) | : Not classified |
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

| Dodecyl benzene sulfonic acid (27176-87-0) | |
|--|--|
| LD50 oral rat | 1080 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Read-across, Oral, 14 day(s)) |
| LD50 dermal rat | > 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Read-across, Dermal, 14 day(s)) |
| LC50 Inhalation - Rat | 0.31 mg/l air (4 h, Rat, Male, Read-across, Inhalation (aerosol), 14 day(s)) |
| Nonylphenol polyethylene glycol ether (127087-87-0) | |
| LD50 oral rat | 1890 mg/kg body weight (Rat, Male / female, Experimental value, Oral) |
| d-Limonene (5989-27-5) | |
| LD50 oral rat | > 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral) |
| LD50 dermal rabbit | > 5000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Read-across, Dermal) |

| | |
|-----------------------------------|--|
| Skin corrosion/irritation | : Causes severe skin burns. pH: 4 |
| Serious eye damage/irritation | : Assumed to cause serious eye damage pH: 4 |
| Respiratory or skin sensitization | : May cause an allergic skin reaction. |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : Not classified |
| STOT-repeated exposure | : Not classified |

DYNA-FOAM

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | |
|---|---|
| Aspiration hazard | : Not classified |
| Viscosity, kinematic | : No data available |
| Potential Adverse human health effects and symptoms | : Based on available data, the classification criteria are not met. |
| Symptoms/effects after inhalation | : May cause an allergic skin reaction. |
| Symptoms/effects after skin contact | : Causes skin irritation. Burns. May cause an allergic skin reaction. |
| Symptoms/effects after eye contact | : Causes serious eye irritation. Serious damage to eyes. |
| Symptoms/effects after ingestion | : Burns. |

SECTION 12: Ecological information

12.1. Toxicity

| | |
|-------------------|---|
| Ecology - general | : Harmful to aquatic life. Harmful to aquatic life with long lasting effects. |
| Ecology - water | : Harmful to aquatic life. Harmful to aquatic life with long lasting effects. |

| Dodecyl benzene sulfonic acid (27176-87-0) | |
|---|---|
| LC50 fish 1 | 4.1 mg/l (DIN 38412-15, 96 h, Leuciscus idus, Static system, Fresh water, Experimental value, Nominal concentration) |
| EC50 Daphnia 1 | 2.5 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Similar product, Nominal concentration) |
| ErC50 (algae) | 65.4 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value) |

| Nonylphenol polyethylene glycol ether (127087-87-0) | |
|--|---|
| LC50 fish 1 | 11.6 mg/l (48 h, Oryzias latipes, Static system, Fresh water, Experimental value) |
| EC50 Daphnia 1 | 14 mg/l (48 h, Daphnia magna, Static renewal, Fresh water, Experimental value) |

| d-Limonene (5989-27-5) | |
|-------------------------------|--|
| LC50 fish 1 | 720 µg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value) |
| EC50 Daphnia 1 | 0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi-static system, Fresh water, Experimental value, GLP) |
| ErC50 (algae) | 0.32 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP) |

12.2. Persistence and degradability

| DYNA-FOAM | |
|-------------------------------|---|
| Persistence and degradability | May cause long-term adverse effects in the environment. |

| Dodecyl benzene sulfonic acid (27176-87-0) | |
|---|------------------------------------|
| Persistence and degradability | Readily biodegradable in water. |
| Chemical oxygen demand (COD) | 2.41 g O ₂ /g substance |

| Nonylphenol polyethylene glycol ether (127087-87-0) | |
|--|---|
| Persistence and degradability | Not readily biodegradable in water. Biodegradable in water. |

| d-Limonene (5989-27-5) | |
|-------------------------------|------------------------------------|
| Persistence and degradability | Readily biodegradable in water. |
| ThOD | 3.29 g O ₂ /g substance |

12.3. Bioaccumulative potential

| DYNA-FOAM | |
|---------------------------|------------------|
| Bioaccumulative potential | Not established. |

| Dodecyl benzene sulfonic acid (27176-87-0) | |
|---|--|
| BCF fish 1 | 65 – 96 (OECD 305: Bioconcentration: Flow-Through Fish Test, 32 day(s), Pimephales promelas, Static system, Fresh water, Experimental value, Fresh weight) |
| Partition coefficient n-octanol/water (Log Pow) | 1.96 (Weight of evidence approach, Equivalent or similar to OECD 107, 25 °C) |
| Bioaccumulative potential | Low potential for bioaccumulation (BCF < 500). |

| Nonylphenol polyethylene glycol ether (127087-87-0) | |
|--|--|
| BCF fish 1 | 7.6 – 12.4 l/kg (6 week(s), Cyprinus carpio, Static system, Fresh water, Experimental value) |

DYNA-FOAM

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Nonylphenol polyethylene glycol ether (127087-87-0) | |
|--|--|
| Partition coefficient n-octanol/water (Log Pow) | 5.67 (Practical experience/observation, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C) |
| Bioaccumulative potential | Low potential for bioaccumulation (BCF < 500). Low potential for bioaccumulation (molecular mass >=700 g/mol). |

| d-Limonene (5989-27-5) | |
|---|---|
| BCF fish 1 | 864.8 l/kg (BCFBAF v3.01, Pisces, QSAR, Fresh weight) |
| Partition coefficient n-octanol/water (Log Pow) | 4.38 (Experimental value, Equivalent or similar to OECD 117, 37 °C) |
| Bioaccumulative potential | Not established. |

12.4. Mobility in soil

| Dodecyl benzene sulfonic acid (27176-87-0) | |
|---|--|
| Surface tension | 29.3 – 31.8 N/m (25 °C, 120 mg/l) |
| Partition coefficient n-octanol/water (Log Koc) | 3.96 (log Koc, OECD 106: Adsorption/Desorption Using a Batch Equilibrium Method, Calculated value) |
| Ecology - soil | Low potential for mobility in soil. |

| Nonylphenol polyethylene glycol ether (127087-87-0) | |
|--|--|
| Partition coefficient n-octanol/water (Log Koc) | 2.631 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value) |
| Ecology - soil | No (test)data on mobility of the substance available. Low potential for adsorption in soil. |

| d-Limonene (5989-27-5) | |
|-------------------------------|-------------------------------------|
| Ecology - soil | Low potential for mobility in soil. |

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to comply with local/state/federal regulations..

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Other information : No supplementary information available.

Transportation of Dangerous Goods

Transport by sea

Air transport

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed as Active, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

| | | |
|----------------------------------|-------------------|----------|
| Oxalic acid, dihydrate | CAS-No. 6153-56-6 | 0.1 – 1% |
| Liquitint Royal Blue HF (L85012) | CAS-No. | < 0.1% |

DYNA-FOAM

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Contains chemical(s) subject to TSCA 12b export notification if product is shipped outside the U.S

| | | |
|---|-------------------|--------|
| Oxalic acid | CAS-No. 144-62-7 | < 0.1% |
| Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372. | | |
| ethylene glycol | CAS-No. 107-21-1 | < 0.1% |
| Sulfuric acid | CAS-No. 7664-93-9 | < 1% |
| 1,4-dioxane | CAS-No. 123-91-1 | < 0.1% |

Sodium hydroxide (1310-73-2)

CERCLA RQ 1000 lb

Oxalic acid (144-62-7)

EPA TSCA Regulatory Flag T - T - indicates a substance that is the subject of a final TSCA section 4 test rule.

butyl glycolether (111-76-2)

SARA Section 311/312 Hazard Classes
Fire hazard
Immediate (acute) health hazard
Delayed (chronic) health hazard

ethylene glycol (107-21-1)

Listed on EPA Hazardous Air Pollutant (HAPS)

CERCLA RQ 5000 lb

Dodecyl benzene sulfonic acid (27176-87-0)

CERCLA RQ 1000 lb

Sulfuric acid (7664-93-9)

CERCLA RQ 1000 lb

RQ (Reportable quantity, section 304 of EPA's List of Lists) 1000 lb

SARA Section 302 Threshold Planning Quantity (TPQ) 1000 lb

Nonylphenol polyethylene glycol ether (127087-87-0)

EPA TSCA Regulatory Flag XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).

Polyethylene glycols (25322-68-3)

EPA TSCA Regulatory Flag XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).

1,4-dioxane (123-91-1)

Listed on EPA Hazardous Air Pollutant (HAPS)

CERCLA RQ 100 lb

Nonyl nonoxynol 100 (9014-93-1)

EPA TSCA Regulatory Flag XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).

15.2. International regulations

Sulfuric acid (7664-93-9)

Listed as carcinogen on NTP (National Toxicology Program)

1,4-dioxane (123-91-1)

Listed on IARC (International Agency for Research on Cancer)
Listed as carcinogen on NTP (National Toxicology Program)

15.3. US State regulations

WARNING:

This product can expose you to 1,4-dioxane, which is known to the State of California to cause cancer, and ethylene glycol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

DYNA-FOAM

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Component | State or local regulations |
|---|---|
| Sodium hydroxide(1310-73-2) | U.S. - New Jersey - Right to Know Hazardous Substance List |
| Oxalic acid(144-62-7) | U.S. - New Jersey - Right to Know Hazardous Substance List |
| butyl glycolether(111-76-2) | U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List |
| ethylene glycol(107-21-1) | U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List |
| Dodecyl benzene sulfonic acid(27176-87-0) | U.S. - New Jersey - Right to Know Hazardous Substance List |
| Sulfuric acid(7664-93-9) | U.S. - New Jersey - Right to Know Hazardous Substance List |
| 1,4-dioxane(123-91-1) | U.S. - New Jersey - Right to Know Hazardous Substance List |

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 11/09/2021

Other information : None.

Full text of H-phrases:

| | |
|---------------------|--|
| Acute Tox. 4 (Oral) | Acute toxicity (oral) Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment - Acute Hazard Category 1 |
| Aquatic Acute 2 | Hazardous to the aquatic environment - Acute Hazard Category 2 |
| Aquatic Acute 3 | Hazardous to the aquatic environment - Acute Hazard Category 3 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment - Chronic Hazard Category 1 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment - Chronic Hazard Category 3 |
| Eye Irrit. 2 | Serious eye damage/eye irritation Category 2 |
| Flam. Liq. 3 | Flammable liquids Category 3 |
| Skin Corr. 1 | Skin corrosion/irritation Category 1 |
| Skin Irrit. 2 | Skin corrosion/irritation Category 2 |
| Skin Sens. 1 | Skin sensitization, Category 1 |

SDS US (GHS HazCom 2012)

The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.